Enable IIS

Last Modified on 10.05.23

The Recast Management Server requires IIS, which should be installed automatically during Recast Management Server installation. Otherwise, you can enable IIS manually in Server Manager.

To manually enable IIS, if necessary:

1. Open Server Manager and navigate to Manage > Add Roles and Features.



2. When the Add Roles and Features Wizard opens, click Next.

3. Select Role-based or feature-based installation and click Next.



4. Select your destination server and click Next.

					_
elect destinati	on server			DESTINA WIN-TR	TION SERVER 67M2RDHH5
Before You Begin	Select a server or a virtua	I hard disk on which	to install roles and features.		
Installation Type	 Select a server from the server pool 				
Server Selection	 Select a virtual hard d 	lisk			
Server Roles	Server Pool				
Features	F (1)				
	Filter:				
	Name	IP Address	Operating System		
	WIN-TR67M2RDHH5	169.254.30.26	Microsoft Windows Serve	r 2019 Standard	
	1 Computer(s) found				
	1 Computer(s) found This page shows servers t	that are running Win	dows Server 2012 or a newe	r release of Windo	ows Server,
	1 Computer(s) found This page shows servers t and that have been adde	that are running Win d by using the Add S	dows Server 2012 or a newe iervers command in Server 1	r release of Windo Janager. Offline si	ows Server, ervers and
	1 Computer(s) found This page shows servers t and that have been adde newly-added servers fron	that are running Win d by using the Add S n which data collecti	dows Server 2012 or a newe iervers command in Server N on is still incomplete are not	r release of Windo Nanager. Offline si shown.	ows Server, ervers and
	1 Computer(s) found This page shows servers t and that have been adde newly-added servers from	that are running Win d by using the Add S n which data collectio	dows Server 2012 or a newe iervers command in Server N on is still incomplete are not	r release of Windo Nanager. Offline si shown.	ws Server, ervers and

5. In Server Roles, click Web Server (IIS). Click Add Features.



- 6. Confirm that Web Server (IIS) is selected and click **Next**.
- 7. On the Web Server Role (IIS) page, click **Next**.
- 8. When the Role Services page opens, click **Next**. (The default settings are fine for our install.)



9. Confirm your installation selections and click Install.