

Recast Agents for Right Click Tools

Last Modified on 08.30.23

A Recast Agent is a Windows service that runs as the local system. Agents are designed to be installed on every device within an organization. After deploying Recast Agents, they can be used to run Right Click Tools actions or for [Fast Channel Support](#).

Agent Uses in Right Click Tools

- Run actions against devices in a different domain
- Run actions on workgroup computers or on computers in untrusted domains
- Run actions on computers where the user does not have administrator permissions
- Run actions on computers that have more restrictive firewall rules in place

NOTE: An [Agent Gateway](#) is required for every 20K Recast Agents deployed.

View Recast Agents

The Recast Management Server **Agents** page shows all agents installed in your environment, as well as their software **Version** and whether they are **Connected** and/or **Authorized**.

Recast Agents

Computer Name	Connected	Version	Authorized	Actions
CLIENT1	✓	5.0.2302.1703	✓	 

1 - 1 of 1 items

NOTE: If an authorized agent doesn't appear to be **Connected**, Recast Management Server may not currently be able to connect to it, or a certificate on the client may not be functioning properly.

Authorize a Recast Agent

Installed agents must be authorized before they can be used to [run actions](#). The Recast Management Server will automatically approve any agents that connect from the same domain as the Recast Management Server. Agents connecting from a different domain (or from a workgroup computer) must be approved manually, unless you've edited the default setting to approve all agents automatically.

Approve an Agent Manually

To approve an agent manually in RMS:

1. On the **Recast Agents** page, click the Edit icon to the right of the agent you want to authorize.
2. In the **Edit Recast Agent** window, enable the **Authorized** checkbox and click **Save**.

Approve All Agents Automatically

You can choose to have your Recast Management Server automatically authorize all agents regardless of the domain where they're installed.

To approve all agents automatically:

1. In your Recast Management Server, navigate to **Administration > Settings**.
 2. Under **Recast Management Server**, click the **Edit** icon to the right of **Recast Agent Approval**.
 3. In the **Change Setting** window, choose **Automatically Approve All Agents** from the **Value** drop-down.
-

Configure Actions to Run with a Recast Agent

A Recast Agent is a service running on a computer that acts as a Right Click Tools client. When the Agent service is running, Right Click Tools actions can run under the system account, which means that Local Admin is not required to run actions. Agents can be very helpful in running Right Click Tools actions against untrusted domains or on workgroup computers.

Prerequisites

- [Recast Agent installed](#)

Authorize the Agent

The Recast Management Server will automatically approve any agents that connect from the same domain as the Recast Management Server. If a Recast Agent connects from a different domain (or from a workgroup computer) it must be manually approved.

To approve the agent manually:

1. Open the Recast Management Server interface or Configure Recast Management Server application.
2. Navigate to **Agents**.

On the **Recast Agents** page, your new agent should be visible with **Authorized** disabled.

3. Click the **Edit** icon to the right of the agent you want to authorize.
4. In the window that opens, click **Authorized** and **Save**.

Once edited and saved, the agent will appear as **Authorized** in the **Recast Agents** table.

Check Route Order







To make all actions run using the Recast Agent, make sure that the Recast Agent route appears at the top of the table on the **Routes** page. Then any device with the Agent installed will run through the Recast Management Server to the Agent computer and will be run as the system account.

Click **Save** to finalize any changes.

Routes

Routes determine which Recast Proxy your Recast actions are sent to. Drag and drop the routes to reorder them in the table. Routes are priority based - the first route to successfully matched is chosen.

[CREATE](#) [SAVE](#)

Proxy Computer Name	Proxy Username	Role	Scope Name	Route Type	Actions	
#				Recast Agent	 	
#	PALKIA	RCT_SRV	Administrators	All	Service Account	 
#				Right Click Tools	 	

Edit a Recast Agent

To edit an agent:

1. On the **Recast Agents** page, click the Edit icon to the right of the agent.
2. Edit agent details, such as the computer name or whether the agent is authorized.
3. Click **Update**.

Delete a Recast Agent

Deleting an agent on the **Recast Agents** page, removes it from the database and revokes the client certificate, but agent uninstallation must be done manually.

To delete an agent in RMS:

1. On the **Recast Agents** page, click the Delete icon to the right of the agent you want to remove.
2. In the **Delete Recast Agent** window, click **Delete**.

