RECAST SOFTWARE

Service Connections

Last Modified on 03.18.24

Service connections are automatically detected when Recast Management Server is installed. They can also be added and managed on the **Service Connections** page in RMS.

Service Connection Types

- ActiveDirectory

- AzureActiveDirectory (Entra ID) — used by Recast's Privilege Manager

- MEMCM — Microsoft Endpoint Manager Configuration Manager

- MBAM — Microsoft BitLocker Administration and Monitoring

Service Connection Prerequisites

Prior to configuring service connections in your Recast Management Server, you must install Recast Proxy .

View Service Connections

You can view connections between Recast Management Server and third-party products on the **Service Connections** page.

You'll find the page in RMS by navigating to **Administration** > **Service Connections**.

The **Service Connections** page displays the type of connection and whether it is **Confirmed**. This is also where you can add, view/edit, test or delete a service connection.

Service Connections

Service connections allow Recast Management Server to request information from third-party services. Learn More

Confirmed	Connection	Type	Actions		
✓	dev.recastsoftware.com	ActiveDirectory	View/Edit	🗎 Test	🗑 Delete
✓	stage.recastsoftware.com	ActiveDirectory	View/Edit	🗎 Test	🗑 Delete
✓	prod.recastsoftware.com	ActiveDirectory	View/Edit	🗎 Test	🗑 Delete
✓	aad.recastsoftware.com (Tenant ID: 12345678-1234-1234-1234-123456789abc)	AzureActiveDirectory	View/Edit	🗎 Test	🗑 Delete
✓	rms.dev.recastsoftware.com (RMS)	MEMCM	View/Edit	🗎 Test	🗑 Delete
✓	mbam.dev.recastsoftware.com	MBAM	View/Edit	🗎 Test	🗑 Delete

Search: recast

+ Add Service Connection

⏮ ◀ **1** ▶ ⏭   1 - 6 of 6 items

Add a Service Connection

Service connections are detected automatically during Recast Management Server installation. You can also add service connections in your Recast Management Server.

To add a service connection:

1. On the **Service Connections** page in the Recast Management Server interface, click **Add Service Connection**.

2. Select a connection **Type**: ActiveDirectory, MEMCM, MBAM, AzureActiveDirectory (Entra ID).

3. Name the new connection and add details associated with the connection type, such as the **Tenant ID**, **Client ID**, and **Client Secret** key.

4. Select a **Proxy Computer Name** and **Proxy User Name** from the drop-down lists.

5. Click the **Confirmed** check box to ensure that the service connection is available for use.

6. Click **Submit**.

Edit a Service Connection

To edit a service connection:

1. In your Recast Management Server, navigate to **Administration** > **Service Connections**.

2. Click the **Edit** button to the right of a service connection.

3. Edit service connection details (these will differ according to the connection type).

4. You can also uncheck **Confirmed** if you don't want the service connection to be available for use.

5. Click **Submit** to save your edits.

Test a Service Connection

You can test the connection between your Recast Management Server and third-party services in Active Directory, Configuration Manager, and MBAM.

To test service connections:

1. In your Recast Management Server, navigate to **Administration** > **Service Connections**.

2. Click the **Test** button to the right of a service connection.

Include a Service Connection in a Dashboard Scan

You can choose to include one or more existing service connections in a Right Click Tools web dashboard scan to query third-party environments.

To select a service connection:

1. On any web dashboard, click **Select Service Connections**.

2. In the side panel that opens, select from the list of available service connections.

3. Click **Save & Run Scan**.

Delete a Service Connection

To delete a service connection:

1. In the Recast Management Server interface, navigate to the **Service Connections** page.

2. Click the Delete icon to the right of the Service Connection to remove.

NOTE: When a service connection is deleted, Recast Management Server can no longer query information from the third-party environment.