

Assign a Privileged Access Administrator Role

Last Modified on 08.06.25





Before an administrator can manage access rights using Privileged Access, they'll need to be added as a user in Recast Management Server and assigned a Recast role.

Add an Active Directory User or User Group

To add an AD user or user group:

1. In your Recast Management Server, navigate to **Administration > Permissions**.
2. In the Recast Users section, click **Add User** or **Add Group**.

Recast Users

				Add User	Add Group
Name	Identifier	Is Group	Actions		
Administrators	0-1-0-21-00000000-00000000-00000000-0000	True	 		
Low Permission User	0-1-0-21-00000000-00000000-00000000-0000	False	 		

3. In the window that opens, search for your AD name or AD user group and click the **Add** button.

NOTE: You can include a **wildcard (*)** to facilitate your search.

Wildcard examples:

- **John Connor** returns strings that match exactly
- **John C*** returns strings beginning with 'John C', such as '**John** Connor', '**John** Connors', and '**John** Cranston'
- ***Connor** returns strings ending with 'Connor', such as 'John **Connor**' and 'Carol O'**Connor**'
- ***Support*** returns strings that include 'Support' plus whatever is on the left and right, such as 'Customer **Support** Team' and 'Enterprise **Support** Group'





Assign a User a Role





Each user must be assigned at least one role.

To assign a user a role:

1. On the **Permissions** page, click the Edit icon to the right of the user or group.

Recast Users

				Add User	Add Group
Name	Identifier	Is Group	Actions		
Administrators	0-1-0-21-69817680-9401879-102101010-1101	True	 		
Low Permission User	0-1-0-21-69817680-9401879-102101010-1101	False	 		

  1  

2. In the **Role Assignments** window that opens, under **Roles**, select a role to assign to the user/group.

To learn about the individual permissions granted by a role, see [View or Edit User Role Permissions](#).

3. Under **Assigned Roles**, enable **Limit this user to specific objects** and select a **Service Connection** to add a limiting rule that restricts user permissions to a set of devices (optional). To learn more, see [Limiting Rules](#).

Assigned Roles

LAPS

☒ Limit this user to specific objects:
Service Connection:

Choose a service connection

Save

4. Click **Save**.

NOTE: Beginning with [Recast Software Version 5.9.2502.2105](#), you no longer have to set a **Refresh Interval** to repopulate your limiting rules (formerly known as scopes). The [scheduled Discovery Sync](#) will keep your service connection data up to date.