

## Recast Proxy

Last Modified on 12.03.25

A Recast Proxy is a service that runs under a service account.

### Proxy Uses

- Running Recast actions
- Elevating permissions
- Reading from third-party services to populate [limiting rules](#)

To view the required permissions for each Recast Software product/add-on and proxy use, see [Proxy Permissions](#).



In deployments with multiple Recast Proxies, only one Proxy can be installed per server, and each Proxy can only support one service account.

## Proxy Types

**User Proxies** are automatically installed with your standard Right Click Tools installation. The user proxy ensures that actions run in Right Click Tools will run as the logged in user with the logged in user's permissions. User proxies do not appear on the **Recast Proxies** page in the Recast Management Server interface.

**Service Account Proxies** are useful when you want to run actions as a service account. These can also be used to run actions against untrusted domains. Install these proxies using the Recast Proxy installer available in the [Recast Portal](#). Service account proxies are listed on the **Recast Proxies** page in RMS.

Service account proxies installed in another domain than the Recast Management Server must be [manually authorized](#) on the **Recast Proxies** page before they can be used to [run actions](#). You can also edit RMS settings to [automatically approve all proxies](#).

## Proxy Permissions

The permission set required for a proxy service account differs depending on how you're using a Recast Proxy.

If you haven't set up the required proxy permissions prior to installing Recast Management Server or Recast Proxy, you can skip the installer's **Configuration Manager Configuration** page by removing any information from the text fields, selecting **Test ConfigMgr Connection** and the **Skip ConfigMgr Verification** checkbox, and clicking **Next**.

## Right Click Tools

# Recast

Access web dashboards and trends Schedule <a href="#">Builder</a> actions Schedule <a href="#">kiosk profile application</a>	<ul style="list-style-type: none"><li>• Local admin access on the server where the proxy is being installed</li><li>• Read permissions in Active Directory</li><li>• <b>db_datareader</b> in the Configuration Manager SQL server database</li><li>• Read-only access to the Configuration Manager console (<b>Read-only Analyst</b> security role in ConfigMgr)</li></ul>
Run actions as a service account	<ul style="list-style-type: none"><li>• Local admin access on any device that actions will be run against</li><li>• Read/Write permissions in Active Directory (Write only required to delete devices from AD)</li><li>• Appropriate <a href="#">ConfigMgr Security Role</a> for intended actions in the Configuration Manager console (Full Administrator for all actions)</li><li>• Permission to MBAM, if applicable</li></ul>
Elevate permissions	<ul style="list-style-type: none"><li>• Local admin access on all devices managed by Right Click Tools</li></ul>
Add or remove from collections	<ul style="list-style-type: none"><li>• Permission to modify a collection in Configuration Manager  configmgr collection &gt; modify permission</li></ul>
Fast Channel support	<ul style="list-style-type: none"><li>• Permission to run scripts in Configuration Manager</li><li>• If using <b>Read-only Analyst</b> in ConfigMgr as your base security role, also grant the following privileges: Collection &gt; Run Script = Yes SMS Scripts &gt; Read = True</li></ul>

## Right Click Tools Insights

Collect warranty information	<ul style="list-style-type: none"><li>• Local admin access on the server where the proxy is being installed</li><li>• Read permissions in Active Directory</li><li>• <b>db_datareader</b> in the Configuration Manager SQL server database</li><li>• Read-only access to the Configuration Manager console (<b>Read-only Analyst</b> security role in ConfigMgr)</li></ul> <p><b>NOTE:</b> These permissions match those required to access web dashboards and trends in Right Click Tools</p> <ul style="list-style-type: none"><li>• Internet access for the proxy account in order for the Recast Management Server to reach our API at <a href="https://warranty.recastsoftware.com">https://warranty.recastsoftware.com</a> over TCP 443</li></ul>
Collect warranty information if RMS is installed on a server other than your ConfigMgr SQL database	<ul style="list-style-type: none"><li>• Add proxy account to the <b>SMS_SiteSystemToSiteServerConnection_MP_&lt;YourSiteCode&gt;</b> local group on that server, allowing it to read/write to your <b>inboxes\auth\ddm.box</b></li></ul>
Collect warranty information for devices managed in Intune	<ul style="list-style-type: none"><li>• Add Application permission to Graph API permissions: <b>DeviceManagementManagedDevices.Read.All</b></li></ul>

## Right Click Tools Privileged Access

**NOTE:** Privileged Access does not require a Configuration Manager service connection.

For all Privileged Access features	<ul style="list-style-type: none"><li>• Local admin on the server where the proxy is being installed</li><li>• Read permissions in Active Directory</li></ul>
------------------------------------	---

# Recast

## Right Click Tools Patching

Configuration Manager Integration	<ul style="list-style-type: none"><li>• Grant any of the following built-in roles/role combinations to the proxy account:<ul style="list-style-type: none"><li>◦ Full Administrator</li><li>◦ Operations Administrator</li><li>◦ Application Administrator <b>and</b> Compliance Settings Manager</li><li>◦ Application Administrator <b>and</b> Read-only Analyst</li></ul></li><li>• Grant modify permissions to the SMB share (UNC path) that will be used to store downloaded applications</li><li>• Access to the necessary external domains. See <a href="#">System Requirements</a>.</li></ul>
Intune Integration	<ul style="list-style-type: none"><li>• Grant modify permissions to the SMB share (UNC path) that will be used to store downloaded applications</li><li>• Access to the necessary external domains. See <a href="#">System Requirements</a>.</li></ul>
<a href="#">Software Updates in ConfigMgr</a>	<ul style="list-style-type: none"><li>• Add proxy account as a member of the WSUS Administrators on the server where WSUS connected to ConfigMgr is located</li><li>• Add proxy account as a member of the local Administrators group on the WSUS server. If security policies does not allow this, you can work around the requirement by <a href="#">granting the proxy account full control over specific items that allow package publishing</a>.</li><li>• Install the RSAT Windows Server Update Services Tools feature on the Recast Proxy server and restart the Recast Proxy service. PowerShell command:<ul style="list-style-type: none"><li>• <code>Install-WindowsFeature -Name UpdateServices-RSAT -IncludeAllSubFeature</code></li></ul></li></ul>

NOTE: Group Managed Service Accounts (gMSAs) are not currently supported.

## Install a Recast Proxy

You can install a service account proxy on the same physical or virtual server as the Recast Management Server and/or a Recast Agent Gateway. It's possible to add a Recast Proxy [during](#) or [after](#) Recast Management Server installation.

If the proxy is being installed in a different domain than the Recast Management Server, the Recast Proxy must be deployed separately after [Recast Management Server installation](#). See [Install Recast Proxy Separately](#).

## Authorize a Proxy

By default, the Recast Management Server automatically authorizes any Recast Proxy installed in the same domain as the Recast Management Server. Proxies installed in other domains must be approved manually, unless you've edited the [default setting to approve all proxies automatically](#).

### Approve or Un-approve a Proxy Manually







If a [proxy is installed separately](#) in another domain, you must approve it manually.

# Recast

To approve a proxy manually:

1. On the **Recast Proxies** page in your Recast Management Server, find your newly installed proxy. It should be visible but not **Authorized**.
2. Click the **Edit** icon to the right of the proxy.
3. In the **Edit** window, enable or disable the **Authorized** checkbox and click **Update**.

## Recast Proxies

Computer Name	Connected	Version	Authorized	Actions
DEV1-RMSPROX-01	✓	5.8.2501.1312	✓	 
DEV2-RMSPROX-01	✓	5.8.2501.1312	✓	 
DEV3-RMSPROX-01	✓	5.8.2501.1312	✓	 

## Approve All Proxies Automatically

You can choose to have your Recast Management Server automatically authorize all proxies regardless of the domain where they're installed.

To approve all proxies automatically:

1. In your Recast Management Server, navigate to **Administration** > **Settings**.
2. Under **Recast Management Server**, click the **Edit** icon to the right of **Recast Proxy Approval**.
3. In the Change Setting window, choose **Automatically Approve All Agents** from the **Value** drop-down menu.

---


## Create a Proxy Route

A route determines the proxy to which your Recast actions are sent. In order for the Recast Management Server to run actions through the service account proxy, create a proxy route that uses the service account.

To create a Recast Proxy route:

1. On the **Routes** page in your Recast Management Server, click **Create**.
2. In the **Create Route** window, set the route **Type** to 'Recast Proxy'.
3. Select your proxy computer name with service account from the drop-down.
4. Set the **Role** to 'Administrators'.
5. Click **Submit**.

# Recast



---

## Run Actions as a Service Account with Recast Proxy

Once you've [created a proxy route](#), you can direct Recast actions to it.

By default, new routes appear at the bottom of the table on the **Routes** page. To make actions run using a Recast Proxy route that is lower in the list, you must move that route above the Console Extension route in the table, as the first route to be successfully matched will be used.

To reorder routes, drag and drop them into the desired order. When you're done reordering the proxy route list, click **Save** to finalize the changes.

---

## Configure a Recast Proxy for Management Tasks

A Recast Proxy can be used to manage a number of tasks, such as allowing access to Right Click Tools [web dashboards](#), scheduling [Recast Builder actions](#) and [Kiosk Manager actions](#), and [collecting warranty information](#) with Endpoint Insights.

To set up a proxy to manage tasks:

1. [Authorize the proxy in the Recast Management Server](#) (if necessary).
2. [Create a Recast Proxy route](#).
3. Reorder the routes to match your priorities (if desired).

By default, new routes appear at the bottom of the table on the **Routes** page. If you only need your proxy to populate [limiting rules](#), and you don't want to [run any actions using that proxy](#), you can leave your proxy route at the bottom of the table. Changes to the route order are saved automatically.

---

