

# View & Manage Global Settings

Last Modified on 05.05.25

### Add an Environment


Recast Software Version 5.7.2410.1403 introduces the ability to add multiple environments in Application Manager. Both Configuration Manager and Intune environments are supported.

To add an environment:

- 1. On the Application Manager **Settings** page, click **Add Environment**.
- 2. On the **Service Connections** page that opens, click to add a service connection.

With the service connection added, the new environment will appear on the **Settings** page with the Configuration showing as 'Not Ready'.

- 3. Hover over the information icon to view the required fields that must be completed.
- 4. To complete the configuration, click the Settings cog.



5. On the **Environment Settings** page that opens, complete the required fields and save your changes.

Back on the **Settings** page, the environment will show as 'Ready' and can be used for deployment processes.

### Test an Integration

On the Application Manager Settings page, you can test whether a Configuration Manager or Intune integration is set up


to function correctly.

The test checks the following:

- Service connection is working properly
- UNC path is accessible
- Required proxy permissions are in place

To test an integration:

- 1. On the **Settings** page, under **Actions**, click the ellipsis (...) to open the drop-down menu.
- 2. Click **Test Integration**.



### View Inherited Settings

You can view deployment processes that are inheriting a specific global setting.

To view inheritance for a setting:

- 1. On the **Application Manager** > **Settings** page, click the Settings cog to the right of the environment.
- 2. On the **General**, **Deployment Processes** or **Deployments** tab, click the View Inheritance icon beside a heading or an individual setting.



**NOTE**: You'll see a warning at the top of the tab if one or more settings has blocked inheritance.

3. In the Inheritance side panel that opens, view or search for the deployment processes that inherit the setting.


# Inheritance The following deployment processes are inheriting the Application Name Format setting. 2 deployment processes found Q Search Deployment Process ↑ Status Actions Recast Software Recast Agent (English) (x64) Q Search Deployment Process ↑ Status Details Recast Software Recast Agent (English) (x64) Potails Potails

## Delete an Integration

Deleting an integration removes all configuration associated with the integration, as well as any deployment processes that are only linked to the environment(s) within that integration. This action cannot be undone.

To delete an integration:

- 1. On the **Settings** page, under **Actions**, click the ellipsis (...) to open the drop-down menu.
- 2. Click Delete Integration and confirm the deletion.



Copyright @ 2025 Recast Software Inc. All rights reserved.