



View Inherited Settings

Last Modified on 03.25.25

You can view deployment processes that are inheriting a specific global setting.

To view inheritance for a setting:

1. On the **Application Manager** > **Settings** page, click the Settings cog to the right of the environment.
2. On the **General**, **Deployment Processes** or **Deployments** tab, click the View Inheritance icon beside a heading or an individual setting.

The screenshot shows the 'Environment Settings' page for 'ConfigMgr-Environment' in the 'Configuration Manager' console. The 'Deployment Processes' tab is active. Under the 'Basic' section, the 'Application Name Format' setting is expanded, showing a search bar with 'Publisher', 'Application', and 'Version' filters. Below the search bar, an example is provided: 'e.g. Microsoft Office 365 1.022.1076'. A 'Reset all to default' link is visible in the top right corner.

NOTE: You'll see a warning at the top of the tab if one or more settings has blocked inheritance.

3. In the **Inheritance** side panel that opens, view or search for the deployment processes that inherit the setting.

Inheritance

The following deployment processes are inheriting the **Application Name Format** setting.

2 deployment processes found

Deployment Process ↑	Status	Actions
Recast Software Recast Agent (English) (x64)	✓ Successful	Details
Recast Software Right Click Tools (English) (x86)	✓ Successful	Details