

# Recast

## Integrations

Last Modified on 12.01.25

Right Click Tools Patching integrates with ConfigMgr and Intune environments.

### Add an Environment

In Right Click Tools Patching, you can add multiple Configuration Manager and/or Intune environments.


To add an environment:

1. On the **Patching Settings** page, click **Add Environment**.
2. On the **Service Connections** page that opens, click to **add a service connection**.
3. On the **Settings** page, hover over the information icon (located just to the right of the 'Not Ready' label) to view the fields that must be completed.
4. Click the Settings cog.

## Settings

### Environments

View and manage your Application Manager Settings for the Configuration Manager and Intune service connections in your environment.



Configuration	Environment	Type	Deployment processes	Actions
✓ Ready	ConfigMgr-Environment	Configuration Manager	3	 
ⓘ Not Ready ⓘ	Intune-Environment	Intune	0	 

5. On the **Environment Settings** page that opens, complete the required fields and save your changes.

Back on the **Settings** page, the environment will show as 'Ready' and can be used for deployment processes.

### Test an Integration

On the **Patching Settings** page, you can test whether a Configuration Manager or Intune integration is set up to function correctly.

The test checks the following:


- Service connections are working properly
- UNC path is accessible
- Required proxy permissions are in place

To test an integration:

# Recast

1. On the **Settings** page, under **Actions**, click the ellipsis (...) to open the drop-down menu.

2. Click **Test Integration**.



The screenshot shows the Recast Settings page with a table of environments. The table has columns: Configuration, Environment, Type, Deployment processes, and Actions. There are two rows: one for 'Ready' (ConfigMgr-Environment, Configuration Manager, 3 processes) and one for 'Not Ready' (Intune-Environment, Intune, 0 processes). The 'Actions' column for the 'Not Ready' row has a dropdown menu with options: Sync Information, Test Integration, Edit Service Connection, and Delete Integration. The 'Delete Integration' option is highlighted.


## Delete an Integration

Deleting a Right Click Tools Patching integration removes all configuration associated with the integration, as well as any deployment processes that are only linked to the environment(s) within that integration. This action cannot be undone.

To delete an integration:

1. On the Patching **Settings** page, under **Actions**, click the ellipsis (...) to open the drop-down menu.

2. Click **Delete Integration** and confirm the deletion.



The screenshot shows the Recast Settings page with a table of environments. The table has columns: Configuration, Environment, Type, Deployment processes, and Actions. There are two rows: one for 'Ready' (ConfigMgr-Environment, Configuration Manager, 3 processes) and one for 'Not Ready' (Intune-Environment, Intune, 0 processes). The 'Actions' column for the 'Not Ready' row has a dropdown menu with options: Sync Information, Test Integration, Edit Service Connection, and Delete Integration. The 'Delete Integration' option is highlighted.

## Migrate Applications from ConfigMgr to Intune

When you select the **Migrate Applications** option, Right Click Tools Patching will detect the applications in your Configuration Manager ARP inventory data, compare them against the RCT Patching catalog inventory, display the applications that match, and allow you add those applications to deployment processes for Intune.


**NOTE:** This feature does not migrate deployment settings from ConfigMgr to Intune.

To migrate applications from ConfigMgr to Intune:

1. On the Patching **Settings** page, click the ellipsis (...) to the right of a ConfigMgr environment and select **Migrate**

# Recast

Applications from the drop-down.



The screenshot shows the 'Environments' tab in the Recast Settings interface. It lists two environments: 'Ready' (mecm.dev.recastsoftware.com, Configuration Manager) and 'Recast AAD' (Intune). The 'Actions' column for the 'Recast AAD' environment is expanded, showing options: 'Sync Information', 'Test Integration', 'Edit Service Connection', 'Delete Integration', and 'Migrate Applications'.

Configuration	Environment	Type	Deployment processes	Actions
✓ Ready	mecm.dev.recastsoftware.com	Configuration Manager	0	<span>Sync Information</span> <span>Test Integration</span> <span>Edit Service Connection</span> <span>Delete Integration</span> <span>Migrate Applications</span>
✓ Ready	Recast AAD ID: 2147483647-1000-4094-9003-100000000000	Intune	1	

2. If desired, filter the selection.

Filtering options:

- Include 64 bit applications
- Include 32 bit applications
- Include Neutral applications
- Include only English and multi-language applications

Click **Next**.

3. In the side panel that opens, select the destination Intune environment to which you want to migrate applications.

Click **Next**.

**NOTE:** Right Click Tools Patching will detect applications in the ConfigMgr ARP inventory and compare them to the inventory in the RCT Patching catalog. Those that match are shown in the Select Application(s) side panel.

4. Review the list of applications and remove any applications you don't want to migrate by clicking the x next to them.  
Click **Next**.

5. Name the deployment process. Click **Next**.

6. Select an Intune group. Click **Save & Close** to return to the Deployment Processes page.

7. Set when the deployment will be forced.

8. Click **Check for Updates**.