



# Deployment Scheduling

Last Modified on 10.07.25

By default, a deployment process will run as soon as RCT Patching detects a new application version in the Application Catalog. By enabling scheduling, you can choose when deployments happen.

View, create or edit a deployment schedule on the **Environment Settings** page by going to the **Deployment Processes > Advanced** tab.

**NOTE:** A new deployment process will run once before it begins follow the schedule.

To set a deployment schedule:

1. On the **Environment Settings** page, click the **Deployment Processes** and **Advanced** tabs.
2. In the **Scheduling** section, toggle the **Enable Scheduling** option to 'Yes'.
3. Select a **Schedule Type** from the drop-down menu.

**NOTE:** Currently, 'Patch Tuesday' is the only available option. Microsoft's security update release occurs on the second Tuesday of each month. Future Recast releases will add more scheduling types.

4. Choose a deployment **Time in UTC**.

**NOTE:** The precise time of a scheduled deployment is tied to the update check interval. Patching checks for new application versions every 30 minutes by default, meaning that the scheduled deployment will run 0 to 30 minutes after the check.

5. Add a **Delay in Days**, if desired.

**TIP:** You can check whether a deployment process follows a schedule on the [Deployment Processes](#) page by hovering over its **Status** to reveal a tooltip.