

3.7

Last Modified on 04.16.26



This version is no longer supported. Upgrade to the latest version to ensure continued functionality and support.

See [Support Lifecycle](#) for more details.

3.7.2982

Bugfixes

- PowerShell cmdlet Get-LiquitScheduledTask isn't working when a monthly schedule is used.
- Binded certificate to web server can sometimes fail to be removed.
- Possible to switch primary zone to a disabled zone.
- Possible to disable primary zone.
- Possible to disable currently logged on zone.

3.7.2923

Changes

- BI client is updated to the latest version.
- Reporting dashboard is no longer available within the launcher, a browser will be opened to display the dashboard.

Bugfixes

- Workspace doesn't load when shortcut names have special symbols in them.
- Device based deployments could generate a cosmetic 'A deployment is already inprogress.' error message.

3.7.2888

Changes

- Optimized license report calculation.

Bugfixes

- Permissions created though 'Create admin' (recover) can't be edited within the destination zone.
- Save button on 'Storage Settings' doesn't enable after using 'From SAS URI' dialog.

3.7.2857

Bugfixes

- PowerShell cmdlets do not support task status continue.
- Able to access unauthorized zone information when target zone has LOCAL\everyone admin permissions set.

3.7.2852

Bugfixes

- PowerShell cmdlets do not support task status continue.
- Able to access unauthorized zone information when target zone has LOCAL\everyone admin permissions set.

3.7.2831

Bugfixes

- 'Create package' under connector resources doesn't respect package permissions.
- Deployments with other than production stage is not working.
- SameSite is set for SID cookie even for non-secure connections.

3.7.2789

Bugfixes

- Action Set filters are executed for every action instead once for an action set.

3.7.2768

Bugfixes

- Action 'Uninstall package' ignores specified stage and uses 'Production'.
- The 'Managed' column is always false in the export of packages overview.
- Long tag names are not correctly wrapped within the workspace.
- PowerShell module handles a request to stop as error.

3.7.2754

Bugfixes

- Agent refresh error might occur on the server when user cancels a credential prompt.
- Entitlement cannot be removed after added within the package creation wizard.
- Unable to correctly select a variable within the auto complete by mouse.
- Unable to update server description field.
- Workspace portal is missing buttons when embedded within an iFrame.

3.7.2730

Bugfixes

- 'Clean devices' doesn't properly follow configured settings which can result in devices being deleted that are still in use.

3.7.2726

Recast

Bugfixes

- Unable to restore missing Azure Blob file when Shared Authentication Signature is used.
- Scheduled task Clean Devices can produce a 'Dal_Referenced error'.
- Scheduled tasks can lose the next run value and stop executing at the planned time.
- Remembering last open tab on workspace can break by locking other settings.

3.7.2712

Bugfixes

- ShellAPI package distribute/install fails when primary shortcut is disabled.

3.7.2698

Bugfixes

- Mail settings test button stuck in disabled mode after changing settings.
- Packages with a distribution action set and a custom repair action set will trigger reinstall after repair.
- Native icons option on an entitlement is hidden after switching between publish options for a context.

3.7.2684

Bugfixes

- Copying managed package results in the new package shortcuts still being marked as managed.
- Personal packages can't be deleted when the catalog isn't available to the user.
- Creating connector resources with a name ending with '(x)' generates an error.
- Removing a newly added member to a team without saving in between results in a stuck confirm dialog.
- Agent xml configuration option StartConnected is broken.

Changes

- AVD connector creates packages of the type 'AVD' instead of the old 'WVD'.

3.7.2663

Changes

- Added support for Client Info to OAuth 2.0 / OpenID Connect identity provider.

Bugfixes

- Certificate dependencies are not always shown.
- Webserver is not reloaded when an existing certificate is updated that is used by a zone.
- Additional package shortcuts are not correctly preserved for offline mode.
- Nonce could be ignored by OAuth 2.0 / OpenID Connect identity provider.
- Some CORS headers could be blocked by OAuth 2.0 / OpenID Connect identity provider.

3.7.2636

Recast

Bugfixes

- Package events does not work when primary shortcut is disabled and package is published within user's Workspace.
- System.IndexOutOfRangeException exception for 3.8 and lower agents during refresh when a package with the NetworkChange event is configured.
- System.NullReferenceException exception when double clicking on the Liquit tray icon when server is not configured within the agent.xml.
- Deployments selection screen can show removed deployments when it was seen earlier by the agent.

3.7.2618

Bugfixes

- User login and logout events do not work for newly installed agents.

3.7.2608

Bugfixes

- Edit text/ini triggers a JavaScript error when no file is specified.

3.7.2594

Bugfixes

- Context menu can be broken within the workspace.
- Package action 'INI edit' doesn't recognize keys that have whitespace around them.
- Package action 'INI edit' can leave duplicated data at the end of the file.
- 'Install Windows App' is wrongly translated in Dutch as 'Uninstall Windows App'.
- Unable to edit Identity sources with Token Exchange enabled though PowerShell.

3.7.2583

Bugfixes

- A connector running on a satellite server can give access denied messages.
- Unable to save changes to LDAP authentication methods when using an empty secret for federation.
- Unable to search for a number within the workspace.

3.7.2562

Bugfixes

- PowerShell cmdlets don't set return value to null when an exception occurs.

3.7.2544

Recast

Bugfixes

- Unable to save context filters when 'HTTP Header Value' filter is used.

3.7.2531

Bugfixes

- Detach Virtual Disk action doesn't always work when using wildcard in the mount point field.
- Export a grid as Excel doesn't work in some cases.
- Export button doesn't work for identity provider and certificate grids.
- When adding a new package entitlement to a user it will not always be shown in the grid until a manual refresh.
- A script error can occur when opening the report dashboard within the Liquit Launcher.
- Context filter can fail when using a single quote in an input field.

3.7.2506

Bugfixes

- Deleting an action within a package the confirmation dialog doesn't close after clicking "Confirm".
- Saving the overview page on a zone the form will not unlock for further modifications.

3.7.2495

Changes

- Updated connector name from Microsoft WVD to Microsoft Azure Virtual Desktop.
- Updated EULA to July 2021 version.

Bugfixes

- Cancel button within user portal triggers confirmation dialog.

3.7.2482

Bugfixes

- Shortcuts could use a white icon on the Desktop/Taskbar/Start Menu.
- Desktop/Taskbar/Start Menu icons are not updated when icon is updated within packages.
- Possible to click twice on a delete action while delete operation is still in progress in the background.
- Extra white space between some checkboxes within Setup Store wizards.
- Unable to add/update personal package if a non-image file is selected as icon.
- Latest iPadOS is not detected as iOS.
- Missing delete/download option for uploaded icons.
- Unable to see full name of entities with long names in the results of a quick search.

3.7.2453

Changes

Recast

- WVD connector now uses the new rdpw file extension.
- SAML Identity Provider sets time restrictions to the conditions within a SAML response.
- Removed the option to include uninstall shortcuts from the Setup Store connector.
- Static sensitive variable values are censored in the overview list.

Bugfixes

- Identity Source Azure AD doesn't support nested groups with contact filtering.
- Identity Sources could lose contact group filter setting after changing contact attributes.
- Packages could auto launch when user set before disabling auto launch on the package.
- Custom launch action sets will lose shortcut assignment when updating a managed package.
- Unable to set content value with Set-LiquitSetting cmdlet.

3.7.2419

Bugfixes

- Repair option is unavailable when install action set was added after a launch action set.
- Unable to open an assigned package from a license in the management interface.
- Launcher window could be opened twice in some cases.
- Repairing a non-primary icon will not update progress visually within the Workspace.

3.7.2404

Changes

- Improved network error handling for Azure Blob Storage.
- Improved authentication security.

3.7.2391

Bugfixes

- Invalid characters in filenames voor desktop and startmenu icons are not filtered.
- Launcher start option in agent configuration is not respected in some situations.
- Autocomplete of variables does not work when clicked with the mouse.

3.7.2383

Changes

- Add support for Radius OTP.
- Improve content download performance.

Bugfixes

- Column filtering does not work on the resource view of the Setup Store connector.
- Deployment window is shown again after deployment if canceling is disabled.

3.7.2375

Bugfixes

- After renaming virtual host of a zone, the old virtual host stays reachable until a restart.
- Credential template domain prefix is ignored for the first time when using the agent.
- Workspace for the user is not functional when assigning approver to both a group the user belongs to and the user itself.
- Additional shortcuts are not added when requesting package from catalog.
- Pending approval and rejected filters do not work in catalog.
- Text fonts change on a catalog item when requesting it.
- Empty button visible on catalog view when state is rejected.
- Missing icon when a catalog request is pending or denied.

3.7.2362

Bugfixes

- Open url action with default browser setting within the launcher results in opening the URL in IE 11 for agent versions 3.7.2356 and 3.7.2359.

3.7.2359

Bugfixes

- Azure AD identity source can cause Liquit service crash when Azure AD is not functional.

3.7.2356

Changes

- Added support for third-party integrations with the REST API.
- Improve offline mode detection for the agent.

Bugfixes

- Unable to search text with the & character in grids.
- Duplicate events can be uploaded if multiple refreshes of the agent is started simultaneously.
- Platform filter within Contexts doesn't work when an agent isn't running.

3.7.2349

Bugfixes

- When userhost is started via shellapi, the login is skipped when the launcher isn't set to auto start.
- Active state icons in the details view of the workspace are hidden when tiles option is enabled.
- Unable to start server update task after maintenance has been manually enabled on the server.

3.7.2342

Recast

Bugfixes

- Unable to see state of Auto launch/favorite in the workspace context menu.

3.7.2335

Bugfixes

- Internal Server Error when accessing the Setup Store connector using a stale zone license.
- Missing title translations for IDP errors.
- Dark theme item colors of breadcrumb bar not consistent like the Default theme.
- Large zoom in/out signs on the Workspace/Contacts page when using the Classic/Dark theme in IE/Launcher.
- Classic theme is missing cog wheel when installing an application.
- Create personal app + icon on the Workspace not centered when 'Tile' option is enabled.

3.7.2328

Bugfixes

- Satellite server doesn't always use the latest connector settings until a restart of the Satellite service.
- File browser when the agent is running could set the value to '[object object]' when agent returns an error.
- Removing a package from the package overview, resets the search results.
- Long names of objects are displayed on multiple lines on management pages.
- Display name change on LOCAL users isn't immediately visible.
- Clicking on a Windows native (Desktop, Start Menu and Taskbar) icon for non-primary shortcuts will do nothing.
- Workspace icon positions and catalog state could be lost when switching between multiple major versions of the agent for a single user.
- Ratings in workspace and catalog aren't correctly displayed.
- Locked icon is not displayed on locked settings within the user portal.

3.7.2314

Changes

- Satellite Server has been updated with the latest UI.

Bugfixes

- Removing a local storage override on a server will not properly show the Azure blob settings until re-opening the page.
- Adding an extra Liquit Workspace server could temporarily show a higher total content count compared to existing Liquit Workspace servers.
- Trying to remove a non-existent file causes replication error when Azure Blob storage is used in a multi-server configuration.
- Unable to upload a 0 byte size file when using Azure blob storage.
- Icons are not visible in the "Views" dropdown list on grids.
- 'Reboot' action fails to execute when using a 3.7 agent.

3.7.2307

Changes

Recast

- Added toolbar buttons for refresh/export/search to grids within diagnostic pages.

Bugfixes

- Contact text is not defined by theme colors.
- Application update progress could get stuck when refreshing the workspace multiple times within a short time period.
- Giving and losing focus on the search field within grids causes the grid to refresh in both Internet Explorer and the Liquit Launcher.
- "Ignore errors" checkbox changes under packages/actions aren't saved.
- Missing drag & drop icon for action sets.
- Reordering the position of an Action Set isn't saved.
- Introduction screen "Contacts" and "Catalog" links point to the wrong section.
- Wrong synchronization menu is displayed on the SCCM connector from the list view.
- Unable to add user to a SCCM unscoped list.
- Login button doesn't work on satellite server.
- OAuth redirect url is not valid when using a non default port.
- Setup Store connector sometimes gives timeout error when adding/updating multiple packages.

3.7.2300

UI overhaul

The user interface has been updated to create a more consistent workflow.

- Multiple fields support Markdown through a WYSIWYG editor
- All grids support search, refresh (where applicable) and export
- Application catalog information can be directly edited from a catalog item

Packages

- Open URL action will now by default use the current browser (including private mode)
- Open URL can now force private mode for multiple browsers (agent required)
- Action modify group membership supports Azure AD
- A new "release overview" has been added to the package overview for DTAP information
- Improved handling of action reboot
- Unattended Deployment without User Session
- Packages now supports multiple shortcuts
- Package media now supports embedding Youtube video's

Identity Sources

- OAuth configuration for an Azure AD identity source can be done by only supplying a tenant ID
- Azure AD identity source supports domain hint

Other notable changes

- UserSID is available as a variable
 - On a credential it is now possible to see the dependencies
 - Global list of tasks has been added
 - Server specific list of tasks has been added
 - New scheduled tasks will not start when a server is in maintenance mode
 - Last logged in user have been added to the device overview
 - The Setup Store connector now supports multiple shortcuts
-