

3.1

Last Modified on 04.16.26



This version is no longer supported. Upgrade to the latest version to ensure continued functionality and support.

See [Support Lifecycle](#) for more details.

3.1.1859

Changes

- Performance improved of clean events task.

Bugfixes

- Add personal app icon was invisible on white backgrounds.
- Context filtering didn't work during deployments.
- Launcher window doesn't restore window position/size correctly when used with Aero Snap.

3.1.1845

Bugfixes

- Agent setup is unable to decode Liquit domain from filename if there are non base64 characters present.

3.1.1831

Bugfixes

- RDP files and connection are handled correctly for iOS 13.
- Logout page wouldn't embed logout actions for Safari.

3.1.1824

Bugfixes

- Content distribute event is triggered on every launch.
- Search field will not reset when a package has been added on a context/user/group/device/collection page.
- Token refresh during an upgrade of the server could cause a 'Server not found' screen in the launcher.

3.1.1810

Bugfixes

- Missing credentials option for uploaded script.
- Unable to launch uploaded RDP file action with credentials when no agent is available.
- Get-LiquitScheduledTask returns error "A null value was found for the property named 'weekDay', the expected type

Recast

does not allow null values".

3.1.1782

Bugfixes

- Launcher isn't always displayed on new devices.
- Only 4 package entitlements are visible without requiring to scroll.
- In progress tasks aren't properly reset on server restart.
- Unable to use Remove-LiquitPackageSnapshot on Test/Acceptance and Production snapshots.
- Unexpected error is displayed without details when trying to start a deployment while one is still inprogress.

3.1.1775

Bugfixes

- Unable to synchronize Primary Context filter with connector.
- Unable to upload a json file for an install uploaded file action.

3.1.1768

Bugfixes

- Unable to use urls with a double quote within personal packages
- AutoLaunch is not enabled in embed mode.

3.1.1758

Bugfixes

- Context menu within the workspace isn't updated when switching languages.
- Unable to add filter settings to contexts with the PowerShell module.
- Local user display name can't be changed.
- Unable to assign entitlements in some situations.

3.1.1750

Bugfixes

- Login with NTLM SSO and Authenticator enabled could cause user accounts to be locked without reason.
- Unable to modify Identity Source Authenticator mapping after adding.
- Launcher can not always probably load its last window state.

3.1.1740

Changes

Recast

- Portal authentication integration improved

Bugfixes

- Offline mode and/or network change could trigger a javascript error
- Its possible to assign 'Device Startup' and 'Agent Startup' package event triggers on users and groups, while these don't work on users and groups.
- Incorrect default secure mail server port is used.

3.1.1733

Bugfixes

- Incomplete workspace search results when 'Show disabled apps' is enabled
- Workspace launch progress indication could sometimes freeze
- Trying to remove a server could result in a dependency error
- ShellAPI refresh command ignores a refresh directly after a normal refresh

3.1.1726

Changes

- Added user mobile option to context filters
- Renamed 'Key' to 'Client Secret' in Azure AD Identity Source to match new name in Azure AD.

Bugfixes

- Filtering doesn't properly escape characters in grids, could cause for strange filter results
- System update wizard shows changelog in summary
- Unable to remove or edit a variable with a (in the name.
- Previous settings aren't properly used when automatically updating packages from the Setup Store.
- Adding a catalog item in search while using an agent could cause the application not to show up in search results for immediate use.
- Expire license screen is displayed to all users instead of only administrators.

3.1.1712

Changes

- Added label link to package field on package details within deployments.
- Added support for 17 additional languages within the Setup Store.
- Added UPN to package entitlement search.

Bugfixes

- Error isn't displayed when a Remote Control action has failed to launch.
- Package display name field is not restricted to 50 characters.
- Package in progress status is lost on refresh.
- Packages assigned by device collections don't show up on devices.
- Repair package also executes launch actions.
- Missing progress bar for package installation progress.
- Custom displayname is removed when a package is updated by a connector
- Fix context filter operations less/greater then are inverted.

Recast

- Agent distribute state resets in certain conditions.

3.1.1670

Bugfixes

- User assigned events isn't properly issued in some situations
- Upgrade database from 2.6 to 3.0 fails on SQL Server 2008 R2 database server
- "Object reference not set" error when trying to synchronize a package using the Liquit Workspace connector

3.1.1663

Bugfixes

- Liquit Workspace connector dependencies synchronization error.
- Last login property on zones is missing in the PowerShell module.
- Back/forward navigation occasionally doesn't update page state properly.
- Upgrading from 2.6 to 3.1 doesn't properly preload service account credentials within setup.

Changes

- Added logout support to the Portal Integration APIs.

3.1.1656

Bugfixes

- Portal Integration API improvements

3.1.1654

Bugfixes

- Unable to search on system provided package name when user has specified a custom friendly name.
- Remote RDP action could be unavailable.
- Adding a personal package could result in duplicate name error while name isn't used yet.
- Popup blocker prompt is incorrectly displayed within IE on certain URLs.
- Renaming a package within the management interface removes the icon at the top.
- Setting an empty DisplayName on packages using PowerShell causes the name to be hidden in the workspace.
- PowerShell only returns the first 2000 results on all get commands.
- Package priority field is missing in the PowerShell package commands.
- Unable to save Uploaded script action within the Liquit Launcher.
- Database upgrade fails on content table.

3.1.1642

General changes

- Added certificates to easily manage certificates.

Recast

- Added identity providers to provide SAML 2.0 authentication.

Management Interface

- Improved UI.
- Web-browser back/forward support.

Workspace

- Active version number (of snapshot) is now displayed in the catalog details screen.

Access Policies

- Usage tab has been added, which shows where access policies are being used.
- Global variables now have their own privileges.

Scheduled Tasks

- Monthly trigger schedule.
- E-mail notifications can now be configured on built-in tasks.

Variables

- `#{FontsDir}` path that points to the local font directory on the device.
- `#{CmdLine}` variable used to pass additional parameters to a package using shellapi.exe.

Packages

- Priority field on packages allows you to determine the execution order of event-triggered package actions.
- Support for success return codes on launch actions.
- New "Run script" (Local or uploaded) actions that allows you to easily execute a script in the following languages: PowerShell, VBScript or Batch.
- New "Repair package" action allows you to trigger a force re-install action on a package.
- New "Install font" (Local or uploaded) actions that allows you to easily install fonts within the local windows directory.
- New "Prompt message" action allows you to display information to the end user.
- Added Created At and Modified At values to snapshot details.
- Multi-select in browse options for package/tags and package/license assignments.

Servers

- Server names are now modifiable within the management interface.
- Maintenance option now available on Liquit servers, which will report a "down" state to load balancer when enabled while the server is still operational.

Zones

- Extra column for zones that shows last login time.
- Primary zone can now be configured, this zone is used for builtin Scheduled Tasks to use its mail servers.

ShellAPI:

- Support for passing parameters to programs using the shellapi.exe to launch a package.
- Support for refreshing the launcher by using shellapi.exe.

Contexts

- "Device available" filter, allows you to check if the user is logged on a managed device (with agent).

Recast
