

Recast

Overview

Last Modified on 04.16.26

By default, SSO will not be performed when multiple identity sources are visible to the user even when explicitly activating SSO.

Either hide all other identity sources that are not used for SSO or specify which identity source needs to be used for SSO.

SSO will automatically be performed on OAuth 2.0 configurations with a single visible identity source, all other SSO protocols require to explicitly activate SSO.

Activating the SSO

There are several ways to activate SSO that are described in this article.

Agent

The Agent supports SSO by setting it to *true* in the *Login* section of the supplied Agent.xml/Agent.json file, which can be modified on the Recast servers.

When multiple identity sources are visible, you can specify the default identity source by providing the name in the `Login` section, `IdentitySource` parameter option.

See below how each type of Agent can be configured.

Agent.xml

```
<Login>
  <Enabled>True</Enabled>
  <SSO>True</SSO>
  <IdentitySource>RecastSoftware</IdentitySource>
</Login>
```

The Agent.xml file is located in `C:\Program Files (x86)\Liquit Workspace\Agent\Agent.xml`

Agent.json

```
{
  "login": {
    "enabled": true,
    "sso": true,
    "identitySource": "RecastSoftware",
    "timeout": 4
  }
}
```

The Agent.json is located in:

Windows - `%ProgramData%\Liquit\Agent\Agent.json`

macOS - `/Library/Application Support/com.liquit.Agent/Agent.json`

URL Parameters

For more information about available URL parameters, see [URL Parameters](#).

SSO can be activated by adding the `?sso=1` option to the URL.

When multiple identity sources are visible, you can specify the `identitySource` option to the URL.

Recast

Example:

```
https://workspace.recastsoftware.com/?sso=1&identitySource=AD
```

where `workspace.recastsoftware.com` is replaced by your Recast FQDN.

HTTP Headers

SSO can be activated by adding the following HTTP headers (to the request to: `/api/identity/domains`):

X-Liquit-SSO – Value needs to be set to 1 to activate SSO

X-Liquit-IdentitySource – Value needs to be the name of the identity source to use for SSO.

macOS behavior without platform SSO configuration

When Platform SSO is not configured on macOS devices and Conditional Access policies are enforced, users will experience significant limitations. They will be unable to sign in to Application Workspace, which prevents the deployment of applications and restricts access to the Application Workspace Launcher.
