

Users

Last Modified on 04.16.26

Users list

Users listed here are from identity sources and from the LOCAL identity source added to your Application Workspace System.



Currently you can only add or remove users within the LOCAL identity source.

Selecting multiple rows from the table

- To select multiple adjacent rows, click on the first row, then hold down the Shift key and click on the last row in the range; all rows between will be selected.
- To select multiple non-adjacent rows, hold down the Ctrl key (or "Command" on Mac) and click on each row you want to select individually.
- To select multiple adjacent rows using the mouse only, click and hold the left mouse button on the first row, then drag the cursor up or down across the rows to highlight the desired ones.
- Selecting rows using only the keyboard is not possible.

Table toolbar

To create a new user, click on the **+ Create** button; to view the details of a user or edit it, double-click its entry or select the user and click the **Edit** button.

From the table toolbar you can also access the **Remote control**, **Reset Workspace** and create personalized views of the list, all of which are described below.

Remote control

For information on how to configure and use the Remote control functionality, read [Set up and use remote control](#)

Reset Workspace

You can opt to reset the following components:

Catalog apps – Restores the resources previously moved from **Catalog** to **Workspace**. Note that apps previously requested are not reset.

Settings – Restores to default the setting of **User Portal > Preferences > Personalization**.

Credentials – Restores the credentials to their initial state, before the user set them.

Views

Views gives you control on how the table is displayed.

The default view contains all your users in alphabetic ascending order, and only a few columns: **Display name**, **Username** and **Identity**.

You can create your own personalized view of the table, by filtering the users or adding/deleting columns and click **Save** as in the drop-down menu of **Views**.

Detailed view of a user

Recast

See below the description of each screen in the detailed view of a user, and what actions you can perform in each of them.

Overview screen

The **Display name**, **Email** and **Password** can be edited only for local users.

For more information about remote control and reset of a workspace, see the [Table toolbar section](#) above.

Memberships screen

Displays a list of all the groups that the current user is a member of.

To view the details of a group or edit its packages and access policies, double-click its entry.

Access Policies screen

Access Policies allow you to grant or restrict access to certain components in the Application Workspace.

For a more dynamic customization, access policies can be defined on different levels; while the inheritance flows top-down, a local override has priority. This means an access policy assigned at the group level can be overridden by an access policy defined at the user level.

Events screen

Displays all events that are associated with the current user.

Logged on screen

Displays a list of devices currently hosted or logged on.

Packages screen

View a list of all packages currently assigned, assign new or remove existing ones.

To view the details of a package or edit it, double click its entry.

To add a package, simply start typing in the lookup field for the desired package and select it from the results lists. Or select the browse button **...** at the right of the lookup field to open the **Package** dialog box to view all the packages available. When assigning the package, you will be prompted to choose between different stages that should be published to the user (*Development*, *Test*, *Acceptance* or *Production*).

Note that you can override an entitlement for a package, via Context, Device collections, Groups, or user-level and the lowest stage will take priority. The lowest stage is Development and the highest stage is Production.

Scenario:

- User1 is directly entitled for PackageA in Production stage.
- User1 is also part of a device collection that has PackageA assigned with Test stage.

In this scenario, the Test stage version of the package will be deployed to the user, as it is of a lower priority.



Tip

To see all the entitlements for a package, go to **Manage > Workspace > Packages > Entitlements**

Recast

For more information about publishing options and events, see [Packages](#).
