

User Collections

Last Modified on 2026-09-24

Organize users within a network based on your own criteria, configure and deliver packages simultaneously for multiple users across a network.

User collections can be accessed from **Manage > Identities**.



Keep in mind that only users of devices running an Application Workspace Agent/ a Liquit Workspace Agent can be added to a collection.



The **Type** of a collection (Dynamic, Static) cannot be changed after creation.

User collections list

Two types of user collections are available:

- [Static user collections](#)
- [Dynamic user collections](#)

The only built-in user collection is the *Everyone*.



Selecting multiple table rows

- Adjacent rows: Click on the first row, hold down the Shift key, click on the last row in the range
- Non-adjacent rows: Hold the Ctrl or Cmd key and click on each row you want to select
- Adjacent rows, using only the mouse: Click and hold the left mouse button on the first row, then drag the cursor up or down across the rows to highlight the desired ones

Table toolbar

To create a new user collection, click on the **+ Create** button; to view the details of a user collection or edit it, double-click its entry or select the collection and click the **Edit** button.

Views gives you control on how the table is displayed.

The default view contains all your user collections in alphabetic ascending order, and only a few columns: **Name**, **Type**, and **Built-in**.

You can create your own personalized view of the table, by filtering the collections or adding/deleting columns and clicking **Save as** in the drop-down menu of **Views**.