

Install uploaded MSI

Last Modified on 04.16.26

The *Install uploaded MSI* action allows you to upload an MSI to the Content Store and install the MSI on devices from the content repository.

General

Type *Install uploaded MSI*

Name Actions are easier to comprehend and manage over time when they have a suitable name that accurately expresses what they do.

File The path to the MSI file.

Arguments Insert the arguments for msexec.exe

Select one or multiple transform (.mst) files that passes customized configuration settings to the MSI installer

Transform package. The order of the files represents the order in which they are applied. In the case of Liquit Workspace Agent, only the first one in the table will be applied.

Advanced

Context The level at which the action is executed *User, Device or Elevated user*. For elevated user, the action will be executed under the current user, but it's granted temporary permission to modify the local system.

Fetch content on demand If this option is selected, the content is downloaded only when the action is being executed; the content is not prefetched at the distribution stage.

Place return

code in variable The temporary variable to which the return code of a command line program is stored.

Filters

Here you can define conditions which determine if the action will be executed. For more information, see [Filters](#).

In the **Edit output variable** dialog box you open by clicking on the browse button **...** of the **Place return code in variable** field, you can create new variables or change existing ones and use them to store the return code. Note that the resulted variables exist only temporarily until the action is executed; they are not saved anywhere and they are displayed only in the package you configured them. After the action is executed, the variables are discarded.

Edit output variable dialog box

Element

Description

Variable

New or existing variable in which you want to store information.

- *Not sensitive* – The variable is logged in the log file and it is visible on Application Workspace UI.
- *Sensitive* – The variable is not logged in the log file and it is hidden on Application Workspace UI.

Sensitivity

- *Current variable sensitivity* – In case of an already existing variable, it takes its already configured sensitivity.

Trim value

Removes all whitespace from the front, end or both.

Append to existing value (if it exists)

It appends the new variable at the end of the existing one.



Agent

It requires the Agent to be running.

Recast

Supported platforms

Platform Supported

Web No

Windows Yes

macOS No
