Recast

Prompt user

Last Modified on 2026-11-19

The **Prompt user** action allows you to display a message or question to users.

General Options	
Type	Prompt user
Name	Give actions descriptive names that accurately convey what they do.
Message	Type the message or question you want to display.
Icon	Select the pictogram to display in the message dialog box: • *Default* • *Information* • *Question* • *Warning* • *Error*
Buttons	• *OK* • *OK / Cancel* • *Yes / No*

Advanced Options	
Cancel/No Action	Choose what happens when the user clicks **No, Cancel** or closes the message dialog box: • *Error* – display an error message. • *Skip action set* – skip the current action set to which this Prompt user action belongs. • *Skip action sets* – skip all action sets of the same type as the one to which this Prompt user action belongs. • *Skip package* – stop processing the current package without an error.
Wait for input	Wait for the user to close the message prompt before continuing with the next action. Otherwise, it will continue to execute in the background, regardless of whether the user responds. This option can be changed only for the **OK** button option.
Place user input in variable	The temporary variable where the user's inputed text is stored.
Place choice result in variable	The temporary variable to which the user's choice is stored. Note that if the user clicks OK/YES the value of the variable is 0, and for NO it is 1.

Filters
Define conditions under which the action is executed. For more information, see Filters.

In the **Edit output variable** dialog box you open by clicking on the browse button ... of the **Place user input in variable**, **Place choice result in variable** fields, you can create new variables or change existing ones and use them to store the user's choice or inputted text. Note that the resulted variables exist only temporarily until the action is executed; they are

not saved anywhere, and they are displayed only in the package you configured them. After the action executes, variables are discarded.

Output variable options

Element	Description
Variable	New or existing variable in which you want to store information.
Sensitivity	• Not sensitive – The variable is logged in the log file and it is visible on Application Workspace UI. • Sensitive – The variable is not logged in the log file and is hidden from the Application Workspace UI. • Current variable sensitivity – When a variable already exists, it inherits the previously configured sensitivity.
Trim value	Removes all whitespace from the front, end or both.
Append to existing value (if it exists)	Appends the new variable at the end of the existing one.

Agent
It requires the Agent to be running.

Supported platforms

Platform	Supported
Web	No
Windows	Yes
macOS	Yes