

## Prompt user

Last Modified on 04.16.26

The *Prompt user* action allows you to display a message or question to users.






### General

Type *Prompt user*

**Name** Actions are easier to comprehend and manage over time when they have a suitable name that accurately expresses what they do.

**Message** Type the message or question you want to display.

Select the pictogram to be displayed in the message dialog box:

- Icon
- *Default* 
  - *Information* 
  - *Question* 
  - *Warning* 
  - *Error* 

- Buttons
- *OK*
  - *OK / Cancel*
  - *Yes / No*

### Advanced

Choose what happens when the user clicks **No**, **Cancel** or closes the message dialog box:

- Cancel/No Action
- *Error* – display an error message.
  - *Skip action set* – skip the current action set to which this Prompt user action belongs.
  - *Skip action sets* – skip all action sets of the same type as the one to which this Prompt user action belongs.
  - *Skip package* – stop processing the current package without an error.


**Wait for input** If this option is selected, Liquit will wait for the user to close the message prompt before continuing with the next action. Otherwise, it will continue to execute in the background, regardless if the user responds. This option can be changed only for the *OK* button option.

**Place user input in variable** The temporary variable to which the user's inputted text is stored.

**Place choice result in variable** The temporary variable to which the user's choice is stored. Note that if the user clicks OK/YES the value of the variable is 0, and for NO it is 1.

### Filters

Here you can define conditions which determine if the action will be executed. For more information, see [Filters](#).

In the **Edit output variable** dialog box you open by clicking on the browse button  of the **Place user input in variable**, **Place choice result in variable** fields, you can create new variables or change existing ones and use them to store the user's choice or inputted text. Note that the resulted variables exist only temporarily until the action is executed; they are not saved anywhere, and they are displayed only in the package you configured them. After the action is executed, the variables are discarded.

## Edit output variable dialog box

Element	Description
Variable	New or existing variable in which you want to store information.

# Recast

Element	Description
Sensitivity	<ul style="list-style-type: none"><li>• <i>Not sensitive</i> – The variable is logged in the log file and it is visible on Application Workspace UI.</li><li>• <i>Sensitive</i> – The variable is not logged in the log file and it is hidden on Application Workspace UI.</li><li>• <i>Current variable sensitivity</i> – In case of an already existing variable, it takes its already configured sensitivity.</li></ul>
Trim value	Removes all whitespace from the front, end or both.
Append to existing value (if it exists)	It appends the new variable at the end of the existing one.



Agent  
Agent  
It requires the Agent to be running.

## Supported platforms

### Platform Supported

Web No  
Windows Yes  
macOS Yes

---