Recast

Liquit.Logout

Last Modified on 2026-09-28

> The *Liquit.Logout* function is only available for Application Workspace Server 3.1 and later.

The *Logout* function allows you to disconnect from the Application Workspace and the provided identity source. It is possible to select whether or not only the Application Workspace session should be terminated.

Request parameters

The following parameters are available for the API:

Name	Description	Default value
excludeAction	When this parameter is set to false Application Workspace will sign out the user from the Application Workspace as well as the current identity source.	true
popUp	Controls whether or not a popup will be triggered to logout the user. If the value is set to false, an iframe will be used to trigger the logout. This parameter is available only for Application Workspace Server 3.3 and later.	true
feedback	Feedback returns false when the logout action is in progress. When the logout action is completed, feedback returns true. This parameter is available only for Application Workspace Server 3.3 and later.	

Example

```
Liquit.Logout({

  // If excludeAction is set to false, the logout function will also log you out from the selected identity source. The defa
ult value is true.
  excludeAction: false,

  // If popUp is set to true, a popup window will be used to execute the logout action. If set to false, an iframe will be us
ed.
  popUp:true

}, function (feedback) {

  // The feedback parameter is only available for Application Workspace Server 3.3 and later
  if (feedback == false) {
    console.log('Logout in progress')
  }
  if (feedback == true) {
    console.log('Logout executed.')
  }

});
```