

Groups

Last Modified on 04.16.26

Get-LiquitGroup

Synopsis

This command displays a list of groups defined in the Application Workspace.

Syntax

```
Get-LiquitGroup
  [[-Source] <IdentitySource>]
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]
```

```
Get-LiquitGroup
  [-ID] <string[]>
  [[-Source] <IdentitySource>]
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]
```

```
Get-LiquitGroup
  [-IdentityRef] <IdentityRef[]>
  [[-Source] <IdentitySource>]
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]
```

```
Get-LiquitGroup
  [-Search] <string>
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]
```

```
Get-LiquitGroup
  [-Name] <string>
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]
```

Examples

The following command lists all available groups within Application Workspace:

```
Get-LiquitGroup
```

The following command selects the group with the id 00000000-0000-0000-0000-000000000000:

```
Get-LiquitGroup -id 00000000-0000-0000-0000-000000000000
```

Parameters

Name	Value	Description	Required	Default value
------	-------	-------------	----------	---------------

Recast

Name	Value	Description	Required	Default value
Source	<code><IdentitySource></code>	The source of the group. This parameter serves a similar purpose to the search box found in the groups table from the Application Workspace UI. It enables users to search multiple columns within the table, such as Name and Identity. When a search term is provided, the parameter filters records by matching values in these indexed columns. However, it's important to note that not all columns in the table are indexed, meaning that searches for values in these non-indexed columns will not return results. Non-indexed columns include for example the ID and columns containing checkboxes.		
Search	<code><string></code>	Searches on the group name itself.		
Name	<code><string></code>			
LiquitContext	<code><LiquitContext></code>	Determines the selected zone.	No	Default
