

## Teams

Last Modified on 04.16.26

### Get-LiquitTeam

### Synopsis

This command displays a list of all the teams available within Application Workspace. Alternatively, you can select a specific team.

### Syntax

```
Get-LiquitTeam  
[-LiquitContext <LiquitContext>]  
[<CommonParameters>]
```

```
Get-LiquitTeam  
[-ID] <guid[]>  
[-LiquitContext <LiquitContext>]  
[<CommonParameters>]
```

```
Get-LiquitTeam  
[-EntityRef] <EntityRef[]>  
[-LiquitContext <LiquitContext>]  
[<CommonParameters>]
```

```
Get-LiquitTeam  
[-Search] <string>  
[-LiquitContext <LiquitContext>]  
[<CommonParameters>]
```

```
Get-LiquitTeam  
[-Name] <string>  
[-LiquitContext <LiquitContext>]  
[<CommonParameters>]
```

### Examples

This command displays all the teams defined within Application Workspace:

```
Get-LiquitTeam
```

This command displays the specified team:

```
Get-LiquitTeam -id 00000000-0000-0000-0000-000000000000
```

### Parameters

Name	Value	Description	Required	Default value
------	-------	-------------	----------	---------------

# Recast

Name	Value	Description	Required	Default value
Search	<string>	This parameter serves a similar purpose to the search box found in the teams table from the Application Workspace UI. It enables users to search multiple columns within the table, such as Name and Description. When a search term is provided, the parameter filters records by matching values in these indexed columns. However, it's important to note that not all columns in the table are indexed, meaning that searches for values in these non-indexed columns will not return results. Non-indexed columns include for example the ID and columns containing checkboxes.		
Name	<string>	Searches on the team name itself.		
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

## New-LiquitTeam

### Synopsis

This command creates a new team.

### Syntax

```
New-LiquitTeam  
  [-Name] <string>  
  [-Icon <Content>]  
  [-Description <string>]  
  [-LiquitContext <LiquitContext>]  
  [-WhatIf]  
  [-Confirm]  
  [<CommonParameters>]
```

### Example

This command creates a new team named "PowerShell Team":

```
New-LiquitTeam -Name "PowerShell Team"
```

### Parameters

Name	Value	Description	Required	Default value
Name	<string>	The name of the team to be created.	Yes	
Icon	<Content>	The icon of the team.	No	
Description	<string>	The description used for the team.	No	
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

## Set-LiquitTeam

### Synopsis

This command lets you edit the properties of a team.

## Syntax

```
Set-LiquitTeam
  [-Team] <Team[]>
  [-Name <string>]
  [-Description <string>]
  [-Icon <Content>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

## Example

The following script updates the team:

```
$team = Get-LiquitTeam -ID 00000000-0000-0000-0000-000000000000
Set-LiquitTeam -Name "Updated PowerShell Team" -Team $team
```

## Parameters

Name	Value	Description	Required	Default value
Team	<Team[]>	The team to be updated.	Yes	
Name	<string>	The name of the team to be created.	No	
Icon	<Content>	The icon of the team.	No	
Description	<string>	The description of the team.	No	
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

## Remove-LiquitTeam

## Synopsis

This command removes a team.

## Syntax

```
Remove-LiquitTeam
  [-Team] <Team[]>
  [-LiquitContext <LiquitContext>]
  [-WhatIf] [-Confirm]
  [<CommonParameters>]
```

## Example

The following script removes the specified team:

```
$team = Get-LiquitTeam -ID 00000000-0000-0000-0000-000000000000
Remove-LiquitTeam -Team $team
```

# Recast

## Parameters

Name	Value	Description	Required	Default value
Team	<Team[]>	The team you want to remove.	Yes	
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

---