

User Collections

Last Modified on 2026-05-27

Get-LiquitUserCollection

This command displays a list of all user collections from the Application Workspace, or you can select a specific user collection.

Syntax

```
Get-LiquitUserCollection
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]

Get-LiquitUserCollection
  [-ID] <guid[]>
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]

Get-LiquitUserCollection
  [-IdentityRef] <IdentityRef[]>
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]

Get-LiquitUserCollection
  [-Search] <string>
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]

Get-LiquitUserCollection
  [-Name] <string>
  [-LiquitContext <LiquitContext>]
  [<CommonParameters>]
```

Examples

The following command lists all available user collections within Application Workspace.

```
Get-LiquitUserCollection
```

The following command lists a specific user collection.

```
Get-LiquitUserCollection -id 00000000-0000-0000-0000-000000000000
```

New-LiquitUserCollection

This command creates a new user collection.

Syntax

```
New-LiquitUserCollection
  -Dynamic
  -Name <string>
  -Filters <ContextFilters>
  [-Description <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

```
New-LiquitUserCollection
  -Dynamic
  -Name <string>
  -Script <string>
  [-Description <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

```
New-LiquitUserCollection
  -Dynamic
  -Name <string>
  [-Description <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

```
New-LiquitUserCollection
  -Name <string>
  [-Description <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

Example

The following command creates a new user collection, named " UserCollection".

```
New-LiquitUserCollection - Name " UserCollection"
```

Parameters

Name	Value	Description	Required	Default value
Dynamic		Create a dynamic user collection.	Yes	
Name	<string>	Provide a name for the user collection.	Yes	
Script	<string>	The script to use for the user collection.	Yes	
Filters	<ContextFilters>	Filters to use for the user collection.	Yes	
Description	<string>	Provide a description for the user collection.	No	

Name	Value	Description	Required	Default value
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

Set-LiquitUserCollection

This command updates a user collection.

Syntax

```
Set-LiquitUserCollection
  [-UserCollection] <UserCollection[]>
  [-Name <string>]
  [-Description <string>]
  [-Filters <ContextFilters>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

```
Set-LiquitUserCollection
  [-UserCollection] <UserCollection[]>
  [-Name <string>]
  [-Description <string>]
  [-Script <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

Example

The following command updates the name of the user collection to "Updated UserCollection".

```
$UserCollection = Get-LiquitUserCollection -id 00000000-0000-0000-0000-000000000000
Set-LiquitUserCollection -UserCollection $UserCollection -Name "Updated UserCollection"
```

Parameters

Name	Value	Description	Required	Default value
UserCollection	<UserCollection[]>	The user collection that needs to be updated.	Yes	
Name	<string>	Provide a name for the user collection.	Yes	
Script	<string>	Script to use for the user collection.	No	
Filters	<ContextFilters>	Filters to use for user collection.	No	
Description	<string>	Provide a description for the user collection.	No	
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

Remove-LiquitUserCollection

Removes a user collection from the Application Workspace.

Syntax

```
Remove-LiquitUserCollection  
[-UserCollection] <UserCollection[]>  
[-LiquitContext <LiquitContext>]  
[-Whatif]  
[-Confirm]  
[<CommonParameters>]
```

Example

The following command removes the selected device collection from the Application Workspace.

```
$UserCollection = Get-LiquitUserCollection -id 00000000-0000-0000-0000-000000000000  
Remove-LiquitUserCollection -UserCollection $UserCollection
```

Parameters

Name	Value	Description	Required	Default value
UserCollection	<UserCollection[]>	The user collection that should be removed.	Yes	
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default
