

## New-LiquitUser

Last Modified on 2026-05-25

This command creates a new user in the local identity source.

### Syntax

```
New-LiquitUser
  [-Source] <IdentitySource>
  [-Name] <string>
  [-SecurePassword] <securestring>
  [-DisplayName <string>]
  [-Mail <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

```
New-LiquitUser
  [-Source] <IdentitySource>
  [-Name] <string>
  [-Password] <string>
  [-DisplayName <string>]
  [-Mail <string>]
  [-LiquitContext <LiquitContext>]
  [-WhatIf]
  [-Confirm]
  [<CommonParameters>]
```

### Example

The following script creates a new user named "PowerShell User"; it has the display name of "PowerShell Management User" and uses the password provided at the prompt:

```
$source = Get-LiquitIdentitySource -ID 00000000-0000-0000-0000-000000000000
$securePass = Read-Host "Please provide your desired password" -AsSecureString
New-LiquitUser -Source $source -Name "PowerShell User" -Displayname "PowerShell Management User" -SecurePass
word $securePass
```

### Parameters

Name	Value	Description	Required	Default value
Source	<IdentitySource>	The identity source of the user (only LOCAL is allowed).	Yes	
Username	<string>	The user name of the user to be created.	Yes	
Password	<string>	The password that goes with the new user.	Yes*	
SecurePassword	<SecureString>	The secure password that goes with the new user.	Yes*	
Displayname	<string>	A friendly name for the user.	No	
LiquitContext	<LiquitContext>	Determines the selected zone.	No	Default

# Recast

\* The command expects one of the required fields to be set.

---