



Service Connections

Last Modified on 04.14.25

You can add and manage connections to third-party services on the **Service Connections** page in your Recast Management Server.

Service Connection Types

- ActiveDirectory: Needed for Right Click Tools [web dashboards](#)
- AzureActiveDirectory (Entra ID): Needed for Privilege Manager and the [Entra ID BitLocker Recovery Keys tool](#)
- MEMCM (Microsoft Endpoint Manager Configuration Manager): Needed for Application Manager and Right Click Tools [web dashboards](#)
- MBAM (Microsoft BitLocker Administration and Monitoring): Optional for [BitLocker web dashboard](#)

Service Connection Prerequisites

To configure service connections, your Recast Management Server must be [installed with Recast Proxy](#).

View Service Connections

The **Service Connections** page displays the connections that allow your Recast Management Server to query information from third-party services. You can find the page in RMS by navigating to **Administration > Service Connections**.

Service Connections

Service connections allow Recast Management Server to request information from third-party services. [Learn More](#)

Confirmed	Connection	Type	Sync Status	Last Sync Status Change	Actions
<input checked="" type="checkbox"/>	dev3.recastsoftware.com	ActiveDirectory	Complete	2/15/2025 2:17:17 AM -06:00	View/Edit <input type="checkbox"/> Sync Now <input type="checkbox"/> Test <input type="button" value="Delete"/>
<input checked="" type="checkbox"/>	dev1.recastsoftware.com	ActiveDirectory	Error	2/15/2025 5:19:05 AM -06:00	View/Edit <input type="checkbox"/> Sync Now <input type="checkbox"/> Test <input type="button" value="Delete"/>
<input checked="" type="checkbox"/>	qa1.recastsoftware.com	ActiveDirectory	Complete	2/18/2025 10:18:07 AM -06:00	View/Edit <input type="checkbox"/> Sync Now <input type="checkbox"/> Test <input type="button" value="Delete"/>

Service connection details and actions:

- **Confirmed:** Shows whether a service connection is confirmed as available for use. You can confirm a service connection that is not currently available by clicking **View/Edit** and the **Confirmed** check box.

- **Connection:** Service connection name
- **Type:** Active Directory, Azure Active Directory (Entra ID), MEMCM, MBAM. For information on the service connection requirements for Recast products and features, see [Service Connection Types](#).
- **Sync Status:** Current status of a [service connection data sync](#).
 - In Progress - Recast Management Server is actively retrieving service connection data
 - Complete - Data sync has completed successfully
 - Error - Data sync has failed
 - Unknown - Displayed before an initial Active Directory or Configuration Manager data sync or when IIS is reset after a data sync
 - N/A - Currently displayed for Azure Active Directory(Entra ID) and MBAM service connections.
- **Last Sync Status Change:** Date and time the latest service connection data sync started, completed, or failed. For information on viewing or editing the data sync schedule, see [Synchronize Service Connection Data](#).
- **Actions**
 - **View/Edit** service connection details. See [Edit a Service Connection](#).
 - **Sync Now** to immediately update service connection data from Configuration Manager or Active Directory. See [Synchronize Service Connection Data](#).
 - **Test** the connection between your Recast Management Server and a third-party service.
 - **Delete** a service connection so that your Recast Management Server will no longer request data from the third-party environment.

NOTE: When a service connection is deleted, Recast Management Server can no longer query information from the third-party environment.

Add a Service Connection

To add a service connection:

1. On the RMS **Service Connections** page, click **Add Service Connection**.

Service Connections

Service connections allow Recast Management Server to request information from third-party services. [Learn More](#)

Confirmed	Connection	Type	Sync Status	Last Sync Status Change	Actions
✓	dev3.recastsoftware.com	ActiveDirectory	Complete	2/15/2025 2:17:17 AM -06:00	View/Edit Sync Now Test Delete
✓	dev1.recastsoftware.com	ActiveDirectory	Error	2/15/2025 5:19:05 AM -06:00	View/Edit Sync Now Test Delete
✓	qa1.recastsoftware.com	ActiveDirectory	Complete	2/18/2025 10:18:07 AM -06:00	View/Edit Sync Now Test Delete

1 - 3 of 3 items

2. In the **Create New Connection** window, select a connection **Type:** ActiveDirectory, MEMCM, MBAM, AzureActiveDirectory (Entra ID).
3. Name the new connection and add details associated with the connection type.

Service Connection Type	Required Details
ActiveDirectory	Domain
MEMCM (Configuration Manager)	SMS Provider, Site Code, Database Server, Database
MBAM	Admin URI, Database Server, Compliance Status Database, Recovery and Hardware Database
AzureActiveDirectory (Entra ID)	Name, Tenant ID, Client ID, Client Secret

4. Select a **Proxy Computer Name** and **Proxy User Name** from the drop-down lists.
5. Click the **Confirmed** check box to ensure that the service connection is available for use.
6. Click **Submit**.

Edit a Service Connection

To edit a service connection:

1. On the RMS **Service Connections** page, click **View/Edit** to the right of the service connection to edit.

Confirmed	Connection	Type	Sync Status	Last Sync Status Change	Actions
<input checked="" type="checkbox"/>	dev3.recastsoftware.com	ActiveDirectory	Complete	2/15/2025 2:17:17 AM -06:00	View/Edit <input type="button" value="Sync Now"/> <input type="button" value="Test"/> <input type="button" value="Delete"/>
<input checked="" type="checkbox"/>	dev1.recastsoftware.com	ActiveDirectory	Error	2/15/2025 5:19:05 AM -06:00	View/Edit <input type="button" value="Sync Now"/> <input type="button" value="Test"/> <input type="button" value="Delete"/>
<input checked="" type="checkbox"/>	qa1.recastsoftware.com	ActiveDirectory	Complete	2/18/2025 10:18:07 AM -06:00	View/Edit <input type="button" value="Sync Now"/> <input type="button" value="Test"/> <input type="button" value="Delete"/>

2. Edit service connection details (these will differ according to the [connection type](#)).
3. Uncheck the **Confirmed** option if you don't want the service connection to be available for use.
4. Click **Submit** to save your edits.

Synchronize Service Connection Data

Beginning with [Recast Software Version 5.9.2502.2105](#), your Recast Management Server retrieves user and device data from your Configuration Manager and Active Directory service connections according to a set discovery sync schedule.

View Discovery Sync Details

The RMS **Service Connections** page displays the current **Sync Status** and the **Last Sync Status Change**. For specifics, see [View Service Connections](#).

View or Edit Discovery Sync Schedule

Your Recast Management Server automatically creates a scheduled task to retrieve data from each ConfigMgr and AD service connection every 24 hours. Synchronization is scheduled by default to occur nightly between 1am and 3am at local time for the server. You can edit the run time for each scheduled task via the Task Scheduler.

You can view or edit the discovery sync schedule for each service connection by opening the Task Scheduler and navigating to **Task Scheduler Library > Recast Software > Recast Task Scheduler**.

Each service connection discovery sync task is named using the following format:

<service connection>DiscoverySyncForServiceConnectionID<number>

Examples: MEMCMDiscoverySyncForServiceConnectionID3, ActiveDirectoryDiscoverySyncForServiceConnectionID4

Initiate a Discovery Sync

It's essential that device and user data be up-to-date in your Recast Management Server before adding a [user/group limiting rule](#) or [route limiting rule](#) as data that does not match in RMS and the service connection cannot be saved. Instead of waiting for the scheduled discovery sync to run, you can manually trigger data synchronization.

To manually initiate a discovery sync on the **Service Connections** page, click **Sync Now** and confirm the action. The service connection's **Sync Status** will change to 'In Progress'.

Confirmed	Connection	Type	Sync Status	Last Sync Status Change	Actions
✓	dev3.recastsoftware.com	ActiveDirectory	Complete	2/15/2025 2:17:17 AM -06:00	View/Edit Sync Now Test Delete
✓	dev1.recastsoftware.com	ActiveDirectory	Error	2/15/2025 5:19:05 AM -06:00	View/Edit Sync Now Test Delete
✓	qa1.recastsoftware.com	ActiveDirectory	Complete	2/18/2025 10:18:07 AM -06:00	View/Edit Sync Now Test Delete

NOTES:

- In larger environments, a discovery sync can take 15 minutes or longer to complete.
- You cannot cancel a discovery sync once it is in progress.
- Running a discovery sync during working hours can impact individuals using the system.
- If you plan to trigger discovery syncs for multiple service connections, we recommend doing so consecutively rather than concurrently to avoid memory errors.

Include a Service Connection in a Dashboard Scan

You can choose to include one or more existing service connections in a Right Click Tools web dashboard scan to query third-party environments.

To select a service connection:

1. On any [web dashboard](#), click **Select Service Connections**.
 2. In the side panel that opens, select from the list of available service connections.
 3. Click **Save & Run Scan**.
-